

Philips Fiber optic cable

1,5 m

### SWA2522T



# Ensure a reliable connection

## with this fiber optic audio cable

Depend on this cable to take your components to optimum performance. It offers the best connection for transferring audio signals between components.

#### Enjoy good audio quality

• High purity copper conductor for reliable signal transfer

#### **Easy installation**

• Non-slip ergonomic grip for easy use

#### Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- · Rubber strain relief

#### Minimum packaging material

• On a hang tab



Highlights

# Specifications

### **Packaging dimensions**

- Packaging dimensions (W x H x D): 6 x 21 x 2.5 cm
- Nett weight: .052 kg
- Gross weight: .057 kg
- Tare weight: .005 kg

#### **Outer Carton**

- Outer carton (L  $\times$  W  $\times$  H): 33  $\times$  22.5  $\times$  19.5 cm
- Nett weight: 2.496 kg
- Gross weight: 2.696 kg
- Tare weight: .2 kg

#### High purity copper

This copper conductor provides high accuracy in signal transfer with minimal resistance.

#### Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Molded plug
Molded plugs ensure secure connections between components and offer extended durability.

#### Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

#### Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.

#### On a hang tab

Products on a hang tab use minimal packaging materials and offer alternate display options.



Issue date 2009-04-11

© 2009 Koninklijke Philips Electronics N.V. All Rights reserved.

Version: 1.1.4

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 35302 EAN: 87 12581 37770 0

www.philips.com